
METAL
ELEVATION
SECTION
FIBRE, LEATHER, ASCETOS
SECTION OF SYNTHETIC RESIN OR PLASTIC
TRANSPARENT MATERIAL
HEAT OR COLD INSULATION
LIQUID
CONCRETE
SECTION OF SAND OR THE LIKE
LOOSE
PACKED
WIRE OR SCREENING
WOOD
SECTION OF SPONGE RUBBER
CLOTH OR FABRIC
REFRACTORY MATERIAL
SECTION OF RUBBER OR ELECTRICAL INSULATION
CORK
ELEVATION OF ELECTRICAL INSULATION
INSULATION
SMALL - LARGE SURFACES
ADHESIVE
VIOLET OR PURPLE
BLUE
GREEN
YELLOW OR GOLD
ORANGE
RED OR PINK
BROWN
BLACK
GRAY OR SILVER



608.02(a) New Drawing — When Replacement is Required Before Examination

See MPEP § 608.02 for the procedure to follow when drawings have not been filed, but a drawing will aid in the understanding of the invention. See MPEP § 601.01(f) for the procedure to follow when applications appear to be missing sheets of drawings. Drawings in utility and plant applications filed on or after November 29, 2000, other than continued prosecution applications (CPAs), will be reviewed by the Office of Initial Patent Examination (OIPE) for compliance with certain requirements of 37 CFR 1.84. OIPE will send a Notice to File Corrected Application Papers if the drawings are not acceptable for purposes of publication. The notice will give applicant a time period of 2 months from the mailing date of the notice to file


METAL
ELEVATION
SECTION
FIBRE, LEATHER, PACKING
SECTION OF SYNTHETIC RESIN OR PLASTIC
TRANSPARENT MATERIAL
HEAT OR COLD INSULATION
LIQUID
CONCRETE
SECTION OF SAND OR THE LIKE
LOOSE
PACKED
WIRE OR SCREENING
WOOD
SECTION OF SPONGE RUBBER
CLOTH OR FABRIC
REFRACTORY MATERIAL
SECTION OF RUBBER OR ELECTRICAL INSULATION
ADHESIVE
CORK
ELEVATION OF ELECTRICAL INSULATION
INSULATION
SMALL - LARGE SURFACES
VIOLET OR PURPLE
BLUE
GREEN
YELLOW OR GOLD
ORANGE
RED OR PINK
BROWN
BLACK
GRAY OR SILVER



608.02(a) New Drawing — When Replacement is Required Before Examination

See MPEP § 608.02 for the procedure to follow when drawings have not been filed, but a drawing will aid in the understanding of the invention. See MPEP § 601.01(f) for the procedure to follow when applications appear to be missing sheets of drawings. Drawings in utility and plant applications filed on or after November 29, 2000, other than continued prosecution applications (CPAs), will be reviewed by the Office of Initial Patent Examination (OIPE) for compliance with certain requirements of 37 CFR 1.84. OIPE will send a Notice to File Corrected Application Papers if the drawings are not acceptable for purposes of publication. The notice will give applicant a time period of 2 months from the mailing date of the notice to file